

PDR RID Report

Date Last Modified 7/17/95

Originator Kate Murphy

Phone No (301)982-5414

Organization IV&V / CTA

E Mail Address krm@cclink.gblt.inmet.com

Document ICD Between ECS and Version 0

RID ID PDR 471

Review SDPS

Originator Ref IVV-KRM-06

Priority 2

Section 4.0 Appendix A

Page 4-1-A-21

Figure Table

Category Name Interfaces

Actionee HAIS

Sub Category

Subject Level of Detail

Description of Problem or Suggestion:

The forms in section 4 and Appendix A are not sufficient to build or test the interface.

Originator's Recommendation

Exact formats (down to the bit level), contents, order, method for encoding, and valid values need to be provided for all seven layers of the OSI model (e.g. application, presentation, network, etc.). If any of the layers are not applicable, then it should be stated as such, and if the details are documented in another document, then the document should be referenced. Details concerning handshaking also need to be provided.

GSFC Response by:

GSFC Response Date

HAIS Response by: Eisenstein

HAIS Schedule

HAIS R. E.

HAIS Response Date 6/30/95

Section 1.4 of the referenced ICD clearly states that this is a Preliminary ICD, and a Final ICD will be delivered 2 weeks prior to CDR (August 1995). The originator's recommendations will be incorporated in the Final ICD.

Status Closed

Date Closed 7/17/95

Sponsor Marinelli

***** Attachment if any *****